

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	access\$3 mode with (fast and slow) and (nvm or persistant or flash or prom or eprom or eeprom or nonvolatile or non volatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L4	2707	access\$3 mode and (nvm or persistant or flash or prom or eprom or eeprom or nonvolatile or non volatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L5	5363	(fast writ\$3 or fast access\$3) and (nvm or persistant or flash or prom or eprom or eeprom or nonvolatile or non volatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L6	272	(fast writ\$3 or fast access\$3) and (slow writ\$3 or slow access\$3) and (nvm or persistant or flash or prom or eprom or eeprom or nonvolatile or non volatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52

/CEW/

L7	190	(fast writ\$3 or fast access\$3) and (slow writ \$3 or slow access\$3) and (nvm or persistant or flash or prom or eprom or eeprom or nonvolatile or non volatile) and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L8	3	((fast writ\$3 or fast access\$3) and (slow writ \$3 or slow access\$3)) with mode) and (nvm or persistant or flash or prom or eprom or eeprom or nonvolatile or non volatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L11	39833	(nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ??? PROM) same (dynamic or ?? RAM or volatile or dis? or hdd or hd) near7 (cach\$3 or buffer\$3 or store)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52

L12	34504	(nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ??? PROM) with (dynamic or ?? RAM or volatile or dis? or hdd or hd) near7 (cach\$3 or buffer\$3 or store)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L13	5248	((nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ??? PROM) with (dynamic or ?? RAM or volatile or dis? or hdd or hd) near7 (cach\$3 or buffer\$3 or store)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L14	532	((nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ??? PROM) with (dynamic or ?? RAM or volatile or dis? or hdd or hd) near7 (cach\$3 or buffer\$3 or store)).ab. and address\$3.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52

/CEW/

L15	1	((nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ????) PROM) with (dynamic or ?? RAM or volatile or dis? or hdd or hd) near7 (cach\$3 or buffer\$3 or store)).ab. and address\$3.ab. and (fast writ\$3 or slow writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L16	46	((nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ????) PROM) with (dynamic or ?? RAM or volatile or dis? or hdd or hd) near7 (cach\$3 or buffer\$3 or store)) same address\$3 and (fast writ\$3 or slow writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L17	93	((nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ????) PROM) with (dynamic or ?? RAM or volatile or dis? or hdd or hd) near3 (cach\$3 or buffer\$3 or store)) same (address near3 (space or range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52

/CEW/

L18	35	((nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ????) PROM) with (dynamic or ?? RAM or volatile or dis? or hdd or hd) near3 (cach\$3 or buffer\$3 or store)) with (address near3 (space or range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L21	18519	renesas.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L22	41	L13 and L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L23	36	((nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ????) PROM) with (dynamic or ?? RAM or volatile or dis? or hdd or hd) near7 (cach\$3 or buffer\$3 or store)).ab. and address\$3.ab. and (711/103. ccls. or 711/104. ccls. or 711/105. ccls. or 711/113. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52

L24	0	(nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ????) PROM) and ((both) with fast near2 writ \$3 and slow writ \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L25	35	(nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ????) PROM) and ((both) with fast near2 writ \$3 and slow near2 writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L26	462	(cam or content address\$4 memory) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L27	26	fast access\$3 near7 (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ????) PROM) and slow access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L28	9	((fast access\$4 or fast writ\$3) and (slow access \$4 or slow writ \$3)) with (mode or operation) and (address\$4 adj2 (range or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L29	77	((cam or content address \$4 memory) with hash\$3) and 711/108. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52

/CEW/

L30	115	slow writ\$3 near7 (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ???? PROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L31	44	((cam or content address \$4 memory) near3 hash\$3). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L32	261	(cam or content address\$4 memory) near3 hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L34	26	fast access\$3 near7 (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ???? PROM) and slow access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L35	4	(slow writ\$3 near7 (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ???? PROM)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L36	24	((slow writ\$3 near7 (function or operation)) near4 (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ???? PROM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52

L37	0	(cam or content address\$4 memory) near3 hash\$3 with (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ??? PROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L40	21	(fast writ\$3 near7 (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ??? PROM)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L41	11	fast writ\$3 near7 (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ??? PROM) and slow writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L42	154	fast writ\$3 near7 (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ??? PROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L43	95	(fast access\$4 or fast writ\$3) and ((slow access\$4 or slow writ\$3)) with (mode or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L48	20125	fast adj3 (write or access or read)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:52

/CEW/

L49	14163	fast adj3 (write or access or read) and (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or prom or eprom or eeprom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:52
L50	2066	fast adj3 (write or access or read) with (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or prom or eprom or eeprom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:52
L51	183	fast adj3 (write or access or read) with (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or prom or eprom or eeprom) and slow adj3 (write or access or read)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:52
L52	6	(fast adj3 (write or access or read) with (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or prom or eprom or eeprom) and slow adj3 (write or access or read)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:52

L53	3871471	(fast (write or access or read) with (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or prom or eeprom or eeprom) and slow (write or access or read))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:52
L54	80	(fast (write or access or read) with (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or prom or eeprom or eeprom) and slow (write or access or read))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 12:52
L60	1940	711/167.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 13:04
L61	3	711/167.ccls. and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 13:04
L62	4	711/167.ccls. and 51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 13:04
L63	0	711/167.ccls. and 32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 13:05

L64	0	711/167.ccls. and 30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 13:05
L65	0	711/167.ccls. and 43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 13:05
L66	36	4 and 711/167. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 13:05
L67	2	((fast writ\$3 or fast access\$3) and (slow writ \$3 or slow access\$3) and (nvm or persistant or flash or prom or eprom or eeprom or nonvolatile or non volatile)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 13:08
L68	17	((nvm or nonvolatile or non-volatile or non volatile or persistant or flash or ???? PROM) with (dynamic or ?? RAM or volatile or dis? or hdd or hd) near3 (cach\$3 or buffer\$3 or store)) same (address near3 (space or range))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/03 13:09

L69	7	(fast adj3 (write or access or read) with (nvm or nonvolatile or non-volatile or non volatile or persistant or flash or prom or eprom or eeprom) and slow adj3 (write or access or read)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 13:14
-----	---	--	---	----	----	---------------------

4/ 3/ 2008 1:15:37 PM

C:\ Documents and Settings\cwalter\ My Documents\ EAST\ Workspaces\ 10.696716.wsp